

COMPETENT PERSONS

The information in this annual report that relates to Mineral Resources, Ore Reserves or exploration results is based on information compiled by the competent persons at each operation as listed below:

- Blyvoor – David Edwin James Whittaker (SACNASP);
- ERPM – Johan Smit (PLATO); and
- Crown – William John Laing (PLATO); and
- Ergo – David Edwin James Whittaker (SACNASP).

These individuals have extensive (more than five years) relevant experience in the mining industry and the type of deposits mined. They are the designated competent persons in terms of the SAMREC and JORC codes, and are registered members of the recognised statutory organisations.

The competent person responsible for the compilation and reporting of DRDGOLD's Mineral Resources and Ore Reserves is David Edwin James Whittaker.

IDENTIFIED ATTRIBUTABLE GOLD ORE RESERVES (DELIVERED) AT 30 JUNE 2008

	Proved				Probable				Total			
	Tonnes Mt	Grade g/t	Contents Gold t	Contents Gold Moz	Tonnes Mt	Grade eg/t	Contents Gold t	Contents Gold Moz	Tonnes Mt	Grade g/t	Contents Gold t	Contents Gold Moz
Blyvoor (74%)												
Underground	16.152	5.95	96.116	3.090	8.250	5.52	45.555	1.465	24.402	5.81	141.671	4.555
Surface	9.707	0.73	7.086	0.228	–	–	–	–	9.707	0.73	7.086	0.228
Total	25.859	3.99	103.202	3.318	8.250	5.52	45.555	1.465	34.109	4.361	148.757	4.783
ERPM (74%)												
Underground	1.075	6.73	7.237	0.233	4.876	6.06	29.570	0.951	5.951	6.19	36.807	1.184
Surface	136.153	0.33	45.142	1.451	–	–	–	–	136.153	0.33	45.142	1.451
Total	137.228	0.38	52.379	1.684	4.876	6.06	29.570	0.951	142.104	0.58	81.949	2.635
Crown (74%)												
Underground	–	–	–	–	–	–	–	–	–	–	–	–
Surface	10.524	0.46	4.797	0.154	18.249	0.49	8.951	0.288	28.773	0.48	13.748	0.442
Total	10.524	0.46	4.797	0.154	18.249	0.49	8.951	0.288	28.773	0.48	13.748	0.442
Ergo (37%)												
Underground	–	–	–	–	–	–	–	–	–	–	–	–
Surface	5.291	0.36	1.906	0.061	–	–	–	–	5.291	0.36	1.906	0.061
Total	5.291	0.36	1.906	0.061	–	–	–	–	5.291	0.36	1.906	0.061
Total group												
Underground	17.227	6.00	103.353	3.323	13.126	5.72	75.125	2.416	30.353	5.88	178.478	5.739
Surface	161.675	0.36	58.931	1.894	18.249	0.49	8.951	0.288	179.924	0.38	67.882	2.182
Total	178.902	0.91	162.284	5.217	31.375	2.68	84.076	2.704	210.277	1.17	246.360	7.921

RESERVES AND RESOURCES [CONTINUED]

IDENTIFIED ATTRIBUTABLE GOLD RESOURCES AT 30 JUNE 2008

	Measured				Indicated			
	Tonnes Mt	Grade g/t	Content Gold t	Content Gold Moz	Tonnes Mt	Grade g/t	Content Gold t	Content Gold Moz
Blyvoor (74%)								
Underground	16.652	7.97	132.683	4.266	20.078	5.20	104.440	3.358
Surface	9.707	0.73	7.086	0.228	90.567	0.31	27.978	0.900
Total	26.359	5.30	139.769	4.494	110.645	1.20	132.418	4.258
ERPM (74%)								
Underground	2.097	6.52	13.675	0.440	9.358	6.50	60.872	1.957
Surface	136.153	0.33	45.142	1.451	–	–	–	–
Total	138.250	0.43	58.817	1.891	9.358	6.50	60.872	1.957
Crown (74%)								
Underground	–	–	–	–	–	–	–	–
Surface	74.033	0.40	29.421	0.946	269.686	0.25	66.911	2.151
Total	74.033	0.40	29.421	0.946	269.686	0.25	66.911	2.151
Ergo (37%)								
Underground	–	–	–	–	–	–	–	–
Surface	5.291	0.36	1.905	0.061	–	–	–	–
Total	5.291	0.36	1.905	0.061	–	–	–	–
Total group								
Underground	18.749	7.81	146.358	4.706	29.436	5.62	165.312	5.315
Surface	225.184	0.37	83.554	2.686	360.253	0.26	94.889	3.051
Total	243.933	0.94	229.912	7.392	389.689	0.67	260.201	8.366

Inferred				Total			
Tonnes Mt	Grade g/t	Content Gold t	Content Gold Moz	Tonnes Mt	Grade g/t	Content Gold t	Content Gold Moz
110.773	3.24	359.099	11.545	147.503	4.04	596.222	19.169
7.452	0.25	1.863	0.060	107.726	0.34	36.927	1.188
118.225	3.05	360.962	11.605	255.229	2.48	633.149	20.357
121.278	6.44	781.472	25.125	132.733	6.45	856.019	27.522
–	–	–	–	136.153	0.33	45.142	1.451
121.278	6.44	781.472	25.125	268.886	3.35	901.161	28.973
–	–	–	–	–	–	–	–
–	–	–	–	343.719	0.28	96.332	3.097
–	–	–	–	343.719	0.28	96.332	3.097
–	–	–	–	–	–	–	–
313.651	0.22	67.646	2.175	318.942	0.22	69.551	2.236
313.651	0.22	67.646	2.175	318.942	0.22	69.551	2.236
232.051	4.92	1 140.571	36.670	280.236	5.18	1 452.241	46.691
321.103	0.22	69.509	2.235	906.540	0.27	247.952	7.972
553.154	2.19	1 210.080	38.905	1 186.776	1.43	1 700.193	54.663



ORE RESERVE PARAMETERS USED

		Blyvoor	ERPM	Crown	Ergo
Underground					
Working cost	R/t	1 059.72	999.45		
Gold price	R/kg	208 287	208 287		
Plant recovery	%	94.7	94		
Mine call factor	%	86.8	85.0		
Mining factors:					
Sundries	%	12.9	9.0		
Discrepancies	%	9.9	12.0		
Required yield	g/t	5.19	4.80		
Head grade	g/t	5.48	5.09		
Broken grade	g/t	8.05	7.47		
Stope width	cm	111	132		
Surface					
Working cost	R/t	20.13	53.99	45.47	23.10
Gold price	R/kg	208 287	208 287	208 287	208 287
Plant recovery	%	50.3	66.00	64.04	49.30
Mine call factor	%	100	100	100	100
Mining factors:					
Reclamation	%	100	100	100	100
Required yield	g/t	0.097	0.245	0.207	0.111
Head grade	g/t	0.192	0.372	0.323	0.225
Broken grade	g/t	0.192	0.372	0.323	0.225

Note: Mineral Resources are stated inclusive of Ore Reserves. Ore Reserves for the operations are calculated using a total working cost pay limit, the previous three years' mining efficiencies and the current life-of-mine plan. The working cost pay limit is calculated per individual shaft or costing areas using area costing figures, and then combined to formulate the total pay limit. ERPM's working costs excludes pumping incurred at its SEV Shaft, as it is not required to sustain mining operations.